

# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20161210-R27043  
**Report Reference** R27043-20161206  
**Issue Date** 2016-December-10

**Issued to:** HANCHETT ENTRY SYSTEMS INC  
Suite 102  
10027 S 51st St  
Phoenix AZ 85044

**This is to certify that  
representative samples of**

LATCHING HARDWARE

Electric Strike, Models 1600, 1600E, with or without  
faceplates N, ND, KD, KM, J, NM, T options.

Electric Strike, Models 1500, and 1500E with or without  
faceplates KD, KM, J options.

USE: The 1500 and 1600 Series electric strikes are to be  
used with mortise type latches having 3/4 in. latch bolts.

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.

**Standard(s) for Safety:**


Please see addendum

**Additional Information:**

See the UL Online Certifications Directory at  
[www.ul.com/database](http://www.ul.com/database) for additional information

Only those products bearing the UL Certification Mark should be considered as being covered by UL's  
Certification and Follow-Up Service.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** 20161210-R27043  
**Report Reference** R27043-20161206  
**Issue Date** 2016-December-10

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

**Standards:**

ASTM E330, Standard Test Method for Structural Performance of Exterior Windows, Doors, Skylights and Curtain Walls

ASTM E1886, Standard Test Method for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Missile(s) and Exposed to Cyclic Pressure Differentials


ASTM E1996, Standard Specification for Performance of Exterior Windows, Curtain Walls, Doors, and Impact Protective Systems Impacted by Windborne Debris in Hurricanes

TAS 201-94, Impact Test Procedures

TAS 202-94, Criteria for Testing Impact & Non-Impact Resistant Building Envelope Components Using Uniform Static Air Pressure

TAS 203-94, Criteria for Testing Products Subject to Cyclic Wind Pressure Loading

ANSI A250.13, Testing and Rating of Severe Windstorm Resistant Components for Swinging Door Assemblies



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

